PRICE LIST

EFFECTIVE MARCH 8, 1965

VANDERCOOK Graphic Supplies

LABORATORY TESTED



VANDERCOOK & SONS, INC.

Eastern Sales and Service 205 West 34th St. New York, N. Y. 10001 Telephone BRyant 9-6270 / 212 Main Office, Plant and Technical Center 3601 West Touhy Ave. Chicago, III. 60645 Telephone ROgers Park 1-2100 / 312 Western Sales and Service 3156 Wilshire Blvd. Los Angeles, Calif. 90005 Telephone DUnkirk 8-9931/213 REPRO PAPERS Page 2

> REPRO INKS

Page 2

ACETATE, SCOTCHPRINT

Page 2

INKING ROLLERS

Page 3

ROLLER CONDITIONER

Page 4

TYMPAN PACKING

Pages 4-5

UNDER BLANKETS

Page 6

TOP BLANKETS

Page 7

T-PROOF BLANKETS

Page 7

FRISKET PAPER

Page 8

Vandercook Repro Papers and Inks

Vandercook Satin-Tone Repro Paper

This is an excellent sheet for reproduction proofs and for in-plant use. It is coated on both sides, and either side can be used. It will withstand the heat in most dryers or drying cabinets without excessive curling. The hard finish coating not only results in proofs with good definition, but also permits users to rule-up without feathering. Vandercook Satin-Tone is approximately .004" in thickness.

6" x 9" - pkge. of 500 Sheets (X-22780-1)	\$ 3.70
9" x 12" - pkge. of 500 Sheets (X-22780-2)	7.25
12" x 18" - pkge. of 500 Sheets (X-22780-3)	14.20
19" x 25" - pkge. of 500 Sheets (X-22780-4)	27.00
19" x 25" - 5 to 10 pkges., 500 Sheets each, pkge	23.00

(Larger quantities will be quoted on request)

Vandercook Gold-Tone Repro Paper

Processed with the finest double-coating on one side, this paper will produce repro proofs of the highest quality. This is a special paper -made with a gold cast on the reverse side for identification, as well as for anti-curl purposes—and when used in conjunction with Vandercook Heat-Set or Fast-Dry Repro Black Inks will produce repro proofs with hairline definition, superior opacity, and without halations. Gold-Tone has a highly ink receptive coating which tends to print up low characters in the form. It is about .0035" in thickness and will take wax backing.

6" x 9" - pkge. of 500 Sheets (X-24266-1)	\$ 5.25
9" x 12" - pkge. of 500 Sheets (X-24266-2)	10.25
12" x 18" - pkge. of 500 Sheets (X-24266-3)	20.00
19" x 25" - pkge. of 500 Sheets (X-24266-4)	38.00
19" x 25" - 5 to 10 pkges., 500 Sheets each, pkge	34.00

(Larger quantities will be quoted on request)

Vandercook Trans-Tone Repro Paper

The flawless base of this stock is formulated to rigid photographic standards. Trans-Tone also has a special coating which provides an exceptional blue-white surface for reproduction proofs. One additional advantage is its translucency, which permits proofs of line work to be contacted direct to film in the conventional manner. In thickness, Vandercook Trans-Tone is approximately .0035".

6"	Х	9"-	pkge.	of 500	Sheets	(X-242	267-1		 \$ 5.50
9"	X	12"-	pkge.	of 500	Sheets	(X-242	67-2		 10.75
12"	х	18"-	pkge.	of 500	Sheets	(X-242	267-3)	 21.00
19"	х	25"-	pkge.	of 500	Sheets	(X-242	267-4		 40.00
19"	x	25"-	5 to 1	0 pkges	., 500	Sheets	each,	pkge.	 36.00

(Larger quantities will be quoted on request)

3M Scotchprint Brand Printing Stock

A dimensionally stable plastic printing material which has (1) a smooth, grainless surface that is highly ink receptive, (2) excellent translucency for contacting to negative or positive film, (3) resistance to temperature and humidity changes, and (4) it will not curl. One particular advantage of Scotchprint is that it can be subjected to excessive squeeze without embossing or dot slur on forms that are not in the best condition

nor in the best condition.	
9" x 12"-box of 100 Sheets (X-22834-1)	\$ 23.00
12" x 18"-box of 100 Sheets (X-22834-2)	44.00
20" x 24"-box of 100 Sheets (X-22834-3) (See discount schedule below)	96.00
Discount of 2% on orders up to \$100.00	
Discount of 3% on orders of \$100.00 to \$499.00	

Discount of 8% on orders of \$500.00 or more

Vandercook Fast-Dry Repro Black Ink

Formulated mainly for producing repro proofs of line copy, Fast-Dry will set up sufficiently for handling immediately after a proof is pulled. Any proof press used for high grade repros should be washed up at least every four hours. Vandercook Fast-Dry Repro Black will remain open on the press four hours with favorable shop and atmospheric conditions. Fast-Dry never skins up.

One-Pound Can, per pound (X-17482)\$	5.00
	4.00

Vandercook Heat-Set Repro Black Ink

Specially formulated for use on Vandercook repro papers, as well as other high quality repro papers. Proofs can be used immediately after forced drying in the Vandercook Rotary Proof Dryer or other means of supplying sufficient heat. Will not skin, and stays open on the press.

One-Pound Can, per pound (X-24471)\$	5.00
	4.00

Vandercook Conversion Black Ink

Formulated especially for obtaining top results on Scotchprint and acetate as well as repro paper. When used on synthetic rubber rollers (which are recommended), this ink will remain open on the press for at least four hours or better, and only an average of about 15 minutes of air drying will be necessary for the ink to set up sufficiently to permit handling of the finished Scotchprint proof. When used on Vandercook Gold-Tone Repro Paper, it is not affected by rubber cement.

One-Pound Can, per pound (X-22778)\$	5.00
Six or more One-Pound Cans, per pound	4.00

Vandercook Engravers Black Ink

Compounded to give brilliant reproduction of halftones, this ink will produce sharp, opaque impressions over the entire gray scale, ranging from the tiniest highlight dots to the densest tone, when used with top grade enamel stock.

One-Pound Can, per pound (X-22835)	5.00
Six or more One-Pound Cans, per pound	4.00

Vandercook Galley Black Ink

Formulated especially to work on galley proof presses that receive infrequent washups. Even though this ink will remain open and usable on the press for several days, minimum form roller swelling will be experienced. Works exceptionally well on newsprint or super-calendared stock for reader or identification proofs.

One-Pound Can, per pound (X-10227)\$	5.00
Six or more One-Pound Cans, per pound	4.00

Vandercook .0015" Acetate

This is a cellulose acetate of the best quality—completely transparent, uniform in thickness, and free from imperfections. Excellent results will be obtained when used with Vandercook Conversion Ink or any ink of comparable quality. For extra density, proofs on Vandercook Acetate can be dusted with opaquing material such as lampblack, red or black oxide, and similar dusting powders.

Package of 100—14" x 20" Sheets (X-4658-2)\$	4.60
Five or more packages of 100—14" x 20" Sheets	4.00
Package of 100—18" x 24" Sheets (X-4658-3)	7.00
Five or more packages of 100—18" x 24" Sheets	6.15

MYLAR-GOATED FOR BLANKET X-25789 5.60 20.



Vandercook Replacement Inking Rollers

Vandercook replacement inking rollers are constructed with Buna-N synthetic rubber (Type A) or Urethane (Type B) on brand new cores, and ground to our close tolerances. These rollers are guaranteed to fit your equipment properly and will give trouble-free performance. The finest proofing results will be achieved with Vandercook replacement inking rollers since they are manufac-

tured to our specifications—which have been established through our close relationship with photoengravers, typographers and printers for over 50 years. Type A form rollers are generally recommended for printers, typesetters and newspapers. Type B are recommended for use on photoengravers test presses as well as on electric galley proof presses.

NOTE—Prices of Vandercook Replacement Inking Rollers include throw-away cores, except those that are indicated—see foot notes, Rollers listed are in stock and ready for shipment.

When ordering, be sure to give Model and Serial Number of proof press

MODEL NUMBER OF PROOF PRESS	TYPE ROLLER	PART NO.	PRICE EACH (Including new *cores
Vandercook 6" Brayer	Α	T-125	\$ 15.35
Vandercook 3	A	M-140 Feed Roller	\$ 23.94
11 11	Α	M-141 Form Roller	\$ 24.59
Vandercook 4	A	M-139 Form Roller	\$ 34.86
Vandercook 219	A & B	X-4032 Form Roller	\$ 39.62
Vandercook 32-28, 232	В	E-106 Form Roller	\$ 78.78
Vandercook 325	A	N-46 Form Roller	\$ 47.32
и и	Α	N-80 Ductor Roller	\$ 46.73
Vandercook 425	A	X-15250 Form Roller	\$ 46.05
и и	A	X-24028 Ductor Roller	\$ 40.71
Vandercook 22—up to serial No. 10409	В	Q-515 Form Roller (1½")	\$ 17.00
" —up to serial No. 10409	В	Q-519 Vibrator (3")	\$ 46.70***
" —from serial No. 10410 up	В	X-8848 Form Roller (1 3/4")	\$ 17.50
" — from serial No. 10410 up	В	X-8961 Vibrator (3")	\$ 46.70***
Vandercook 23—up to serial No. 9796	В	X-24273 Form Roller (13/4")	\$ 26.00**
" —up to serial No. 9796	В	X-24274 Form Roller (2")	\$ 26.30**
" —up to serial No. 9796	В	Q-33 Vibrator (2")	\$ 26.80
" —from serial No. 9797 up	В	X-24262 (1 1/8") Form Roller	\$ 25.85**
" —from serial No. 9797 up	В	X-24263 (21/8") Form Roller	\$ 26.60**
" —from serial No. 9797 up	В	X-14356 Vibrator (2")	\$ 26.80
Vandercook 13-28—from serial No. 20222 up	В	X-19363 Form Roller (2")	\$ 23.90
" —from serial No. 20222 up	В	X-24926 Vibrator (3")	\$ 48.60***
Vandercook HS27	В	X-19363 Form Roller (2")	\$ 23.90
11 11	В	X-24926 Vibrator (3")	\$ 48.60***
Vandercook SP15	A	X-22155 Form Roller	\$ 23.16
Vandercook SP20	A	X-20931 Form Roller	\$ 35.53
11 11	A	X-20932 Gear Form Roller	\$ 36.53
Vandercook SP25	A	X-21471 Form Roller	\$ 43.82
11 11	A	X-21473 Gear Form Roller	\$ 44.52
Vandercook Universal I	Α .	X-20935 Form Roller	\$ 31.40
и и и	Α	X-20936 Gear Form Roller	\$ 32.66
Vandercook Universal III	A & B	X-20939 Form Roller	\$ 32.78
н н н	A & B	X-20940 Gear Form Roller	\$ 33.78
Vandercook Universal IV	В	X-21205 Form Roller	\$ 53.60
11 11 11	В	X-21204 Gear Form Roller	\$ 55.80

^{*}Credit cannot be allowed for return of old cores.

^{**}Price includes new style throw-away core. When these new rollers are ordered for the first time, it is necessary to also order a

set of new style removable roller trucks for each roller at \$9.85 per set of two.

^{***}Credit of \$9.00 for return of old Vibrator Roller prepaid.

Vandercook Roller-Blanket Conditioner

Vandercook Roller-Blanket Conditioner is a combination of chemicals in paste form that will quickly remove dried ink, varnish and glaze from all standard inking rollers, as well as offset blankets. It is most effective when applied with the Vandercook Roller Brush. Vandercook Roller-Blanket Conditioner, which deep cleans as it conditions, is recommended for use at least once a week, or more frequently if necessary, to keep rollers and blankets in a "like-new" condition.

 V2-Gallon Can (X-24796)
 \$ 8.85

 Vandercook Roller Brush (X-24797)
 \$ 1.50

Vandercook Treated Tympan Cylinder Packing

Manufactured to the highest degree of uniformity, and withoùt either hard or soft spots. Vandercook Treated Tympan Drawsheets and Undersheets are die cut to exact measurements, and are guaranteed to fit the machines on which they are to be used. In thickness, both the drawsheets and undersheets for all machines are approximately .006" thickness, except the drawsheets for the Vandercook 325, 425, 25-24, and SP25 which are .010" thickness.

When ordering, be sure to give Model and Serial Number of proof press

MODEL NUMBER		DRAW	/SHEETS	UNDER	UNDERSHEETS	
OF PROOF PRESS	QUANTITY	PART NO.	PRICE	PART NO.	PRICE	
	50		\$ 6.00		\$ 4.00	
Vandercook 1	100	TM-205	10.00	TM-208	5.00	
from serial No. 7686 up	500	-	40.00		20.00	
	50		\$ 5.25	1000	\$ 4.00	
Vandercook 3, 4, 4T, 215	100	MM-142	8.75	MM-113	5.00	
from serial No. 6520 up	500		35.00		20.00	
1000	50		\$ 5.15		\$ 4.70	
Vandercook 14	100	EM-25	8.30	EM-26	7.40	
from serial No. 7859 up	500		36.25		32.50	
	50		\$ 5.25		\$ 4.00	
Vandercook 15-21	100	X-10963	8.75	X-10964	5.00	
	500		35.00		20.00	
	50		\$ 12.00		\$ 8.25	
Vandercook 32-28, 232P	100	EM-112	20.00	EM-113	13.75	
	500		80.00		55.00	
	50		\$ 15.00		\$ 11.25	
Vandercook 42-28	100	X-5131	25.00	X-5132	18.75	
	500		100.00		75.00	
V 1 1010	50		\$ 6.00		\$ 4.50	
Vandercook 219	100	BM-13	10.00	BM-14	7.50	
up to serial No. 11507	500		40.00		30.00	
	50		\$ 7.50		\$ 4.50	
Vandercook 219, Universal II	100	X-3075	12.50	X-3076	7.50	
from serial No. 11508 up	500		50.00		30.00	
	50		\$ 7.50		\$ 5.25	
Vandercook 317	100	AM-220	12.50	AM-221	8.75	
	500		50.00	a pro-	35.00	

VANDERCOOK TREATED TYMPAN CYLINDER PACKING—continued

MODEL NUMBER OF PROOF PRESS	QUANTITY	DRAWS	SHEETS	UNDERSHEETS	
		PART NO.	PRICE	PART NO.	PRICE
Vandercook 320	50 100 500	LM-29	\$ 7.50 12.50 50.00	LM-30	\$ 6.00 10.00 40.00
Vandercook 325, 425, 25-24	50 100 500	NM-58 (.010" Thickness)	\$ 14.25 23.75 95.00	NM-65	\$ 6.75 11.25 45.00
Vandercook 604	50 100 500	X-3311	\$ 6.75 11.25 45.00	X-3310	\$ 5.25 8.75 35.00
Vandercook 30-26	50 100 500	X-13399	\$ 12.00 20.00 80.00	X-13398	\$ 6.75 11.25 45.00
Vandercook 319	50 100 500	X-18631	\$ 9.00 15.00 60.00	X-18632	\$ 6.75 11.25 45.00
Vandercook Universal I	50 100 500	X-14172	\$ 6.00 10.00 40.00	X-14173	\$ 4.00 6.25 25.00
Vandercook Universal III	50 100 500	X-3075	\$ 7.50 12.50 50.00	X-3076	\$ 4:50 7.50 30.00
Vandercook Universal IV	50 100 500	X-20033	\$ 13.50 22.50 90.00	X-20034	\$ 8.25 13.75 55.00
Vandercook Universal V	50 100 500	X-20951	\$ 12.75 21.25 85.00	X-20952	\$ 7.50 12.50 50.00
Vandercook SP13	50 100 500	-	_	X-21778	\$ 5.25 8.75 35.00
Vandercook SP15	50 100 500	X-20543	\$ 5.25 8.75 35.00	MM-113	\$ 4.00 5.00 20.00
Vandercook SP20	50 100 500	X-20272	\$ 7.50 12.50 50.00	X-20273	\$ 5.25 8.75 35.00
Vandercook SP25	50 100 500	X-22700 (.010" Thickness)	\$ 12.00 20.00 80.00	X-22701	\$ 6.00 10.00 40.00
Vandercook SP33	50 100 500	X-22319	\$ 12.75 21.25 85.00	X-22320	\$ 8.25 13.75 55.00

Vandercook Under Blankets

Vandercook under blankets are manufactured to close tolerance in order to insure maximum uniformity—and are widely used for the purpose of providing softer or more resilient packing. They are available in two thicknesses, and for most Vandercook machines. Prices for under blankets for other Vandercook machines not listed below will be furnished on request.

• When ordering, be sure to give Model and Serial Number of proof press

	.025" THI	CKNESS	.062" THICKNESS	
MODEL NUMBER OF PROOF PRESS	PART NO.	PRICE	PART NO.	PRICE
Vandercook 1	TM-206	\$ 4.00	_	_
Vandercook 3, 4, 4T and 215	MM-123	\$ 4.00	_	_
Vandercook 14—from serial No. 7859 up	_	_	EM-28	\$ 14.1
Vandercook 15-21	X-24084	\$ 5.45	_	_
Vandercook 219 Up to serial No. 11507	X-24083	\$ 6.00	-	4-
Vandercook 219 from serial No. 11508 up	X-21860	\$ 6.00	_	_
Vandercook 317	AM-227 from serial #11399 up	\$ 5.95	AM-233 up to serial #11398	\$ 8.5
Vandercook 320	LM-16 from serial #10301 up	\$ 6.20	LM-40 up to serial #10300	\$ 11.8
Vandercook 325, 425 and 25-24	NM-97	\$ 8.60	NM-10	\$ 11.0
Vandercook 319	X-18050	\$ 6.00	_	_
Vandercook Universal I	X-16778	\$ 5.45	_	_
Vandercook Universal II and III	X-21860	\$ 6.00		_
Vandercook Universal IV	X-24085	\$ 10.75	_	_
Vandercook Universal V	X-24086	\$ 10.45	_	_
Vandercook SP13	X-21777	\$ 4.00	_	_
Vandercook SP15	X-21201	\$ 4.00	_	_
Vandercook SP20	X-21859	\$ 4.50	_	_
Vandercook SP25	X-23087	\$ 8.80	X-23075	\$ 11.0
Vandercook SP33	X-24094	\$ 11.10	_	_

Vandercook Top Blanket

Manufactured to close tolerance to insure uniformity in thickness, this durable low static blanket—with its buffed rubber face—provides a tough, resilient printing surface which will

absorb excessive abuse from inaccurate forms. Approximately .026" in thickness. Prices for top blanket for Vandercook presses not listed below will be furnished on request.

When ordering, be sure to give Model and Serial Number of proof press

MODEL NUMBER OF PROOF PRESS	PART NO.	PRICE	MODEL NUMBER OF PROOF PRESS	PART NO.	PRICE
Vandercook 3, 4, 4T and 215	X-24251	\$ 6.00	Vandercook 15	X-7777	\$ 5.40
		V 0.00	Vandercook Universal I	X-24253	\$ 6.00
Vandercook 325, 425 and 25-24	NM-96	\$ 10.75	Vandercook SP13	X-21779	\$ 6.50
Vandercook 219 Up to serial No. 11507 X-24252			Vandercook SP15	X-24255	\$ 5.50
	X-24252	\$ 8.00	Vandercook SP20	X-24256	\$ 9.00
Vandercook 219, Universal II and Universal III			Vandercook SP25	X-23977	\$ 11.50
	X-24254	\$ 8.00	Vandercook SP33	X-24257	\$ 15.25

Vandercook Blankets for Transparencies

The three blankets listed below are widely used in typographic plants and composing rooms for pulling sharp, opaque transparencies. The .032" and .065" offset blankets are used mainly for pulling two-sided transparencies—one impression direct from the form, and a second impression simultaneously on the reverse side, in register, from an offset impression on the blanket. The .032" blanket is intended for

machines having a cylinder undercut .040", while the .065" blanket is used on presses with a .070" undercut cylinder. Vandercook Papercote Blankets are .020" in thickness and consist of a .010" sheet of rubber laminated to a manila sheet of the same thickness. Papercote Blankets are used for pulling multiple one-sided impressions on acetate or similar materials.

• When ordering, be sure to give Model and Serial Number of proof press

MODEL	.032" OFFSET BLANKET		.065" OFFSET BLANKET		PAPERCOTE BLANKET	
NUMBER OF PROOF PRESS	PART NO.	PRICE	PART NO.	PRICE	PART NO.	PRICE
Vandercook 3, 4, 4T, 215	X-10152	\$ 9.35	MM-132	\$ 14.15	X-10216	\$ 4.00
Vandercook 15-21	X-10962	10.45	_	_	X-10965	4.00
Vandercook 32-28, 232P	X-20392	28.10	-	_	_	_
Vandercook 219, Universal II from serial 11508 up	X-10164	14.40	X-3980	21.45	X-10183	4.50
Universal I	X-14174	10.70	X-16628	16.15	X-16414	4.00
Universal III	X-10164	14.40	X-3980	21.45	X-10183	4.50
Universal IV	X-20388	28.55		_	-	_
Vandercook SP15	X-21228	9.35	X-21274	14.15	X-20549	4.00
Vandercook SP20	X-21035	15.80		-	X-20274	4.75
Vandercook SP33	X-22494	27.15	_	_	X-22493	8.20

Vandercook Frisket Rolls and Die-Cut Sheets

Vandercook Frisket Paper is supplied either in rolls or die-cut sheets for various current and older Vandercook presses, as listed below. One side of this paper is specially treated with silicone so that, when it comes in contact with the inked engravings, it will not absorb the ink—and the problem of ink

penetration is avoided. This special silicone treatment also results in releasing the paper more easily from the inked engravings. Adhesive tapes can be used on the uncoated side in the usual manner. Each roll contains about 300 yards and is about .004" in thickness.

• When ordering, be sure to give Model and Serial Number of proof press

MODEL NUMBER OF PROOF PRESS		DIE-CUT SHEETS		ROLLS	
	QUANTITY	PART NO.	PRICE	PART NO.	PRICE
Vandercook 32-28 and 232P	Roll 31 1/8" wide approx. 70 Lbs.	_	- -	X-19000-32	\$0.95 per pound
Vandercook 219	Roll 18" wide approx. 35 Lbs.	<u> </u>	_	X-19000-18	\$0.95 per pound
Vandercook 219 from serial No. 11508 up	Roll 18″ wide approx. 35 Lbs.	_	_	X-19000-18	\$0.95 per pound
Vandercook 604	50 100 250 500	X-9617	\$ 8.00 14.00 35.00 66.00	-	_
Vandercook 30-26	50 100 250 500	X-13400	\$ 13.00 20.00 43.00 78.00	-	, <u>, , , , , , , , , , , , , , , , , , </u>
Vandercook 42-28	Roll 41 1/8" wide approx. 78 Lbs.	<u> </u>	_	X-19000-41	\$0.95 per pound
Vandercook Universal I	Roll 15" wide approx. 30 Lbs.	, <u> </u>	- ,	X-19000-15	\$0.95 per pound
Vandercook Universal II and III	Roll 18" wide approx. 35 Lbs.	_	_	X-19000-18	\$0.95 per pound
Vandercook Universal IV	Roll 31 1/8" wide approx. 70 Lbs.	-	_	X-19000-32	\$0.95 per pound
Vandercook Universal V	Vandercook Universal V 25 50 100 500		\$ 7.50 13.00 20.00 78.00	, <u>-</u>	· · · · · · · · · · · · · · · · · · ·

TERMS

No credit will be allowed for the return of open cans or packages—and a handling charge of 10% will be made on returns, with \$2.00 minimum. Terms are net 30 days. Prices are subject to change without notice.